ELSEVIER

AUTHOR INDEX

A

Abrahams JM, Badley LJ, Flamm ES, Hurst RW, Sinson GP. Alternative management considerations for ethmoidal dural arteriovenous fistulas, 410

Abrahams JM, Torchia MB, McBarvey M, Putt M, Baranov D, Sinson GP. Perioperative assessment of coagulability in neurosurgical patients using thromboelastography, 5

Akhaddar A, Jiddane M, Chakir N, El Hassani R, Moustarchid B, Bellakhdar F. Cerebellar abscesses secondary to occipital dermoid cyst with dermal sinus: case report, 266

Alleyne CH. *See* Tomlin JM

Andaluz N, Tomsick TA, Tew JM, van Loveren HR, Yeh H-S, Zuccarello M. Indications for endovascular therapy for refractory vasospasm after aneurysmal subarachnoid hemorrhage: experience at the University of Cincinnati, 131

Andoh M. *See* Ishikawa T

Andrews BT. Perioperative assessment of coagulability in neurosurgical patients using thromboelastography, 12-com

Angevine PD, Connolly ES Jr. Psuedoaneurysms of the superficial temporal artery secondary to placement of external ventricular drainage catheters, 258

Anno I. *See* Asakawa H

Arriada N, Sotelo J. Review: treatment of hydrocephalus in adults, 377

Asakawa H, Yanaka K, Fujita K, Marushima A, Anno I, Nose T. Intracranial dural arteriovenous fistula showing diffuse MR enhancement of the spinal cord: case report and review of the literature, 251

Asher A. Transdural metastasis from adenocarcinoma of the prostate mimicking subdural hematoma: case report, 331-com

Ausman JI. Book review: Severed Trust, 159-br

Ausman JI. In this issue, 1-ed, 71-ed, 161-ed, 291-ed, 355-ed

Ausman JI. Intraoperative angiograph for intracranial aneurysm surgery: what it really means, 351-ed

Ausman JI. Lessons from enron for neurosurgeons, 158-ed

Ausman JI. Practice patterns in the U.S., 286, 349-ed, 429-ed

Ausman JI. "Subspecialization" according to Couldwell and Rovit, 427-ed

Ausman JI. The neurosurgical-biomedical complex gone wrong, 65-ed

Ausman JI. Thoughts on neurosurgery in Taiwan, 66-ed

Ausman JI. Why the international study of unruptured intracranial aneurysms has lost credibility with neuroscientists, 287-ed

Awad IA. Dural arteriovenous fistula after craniotomy for pilocytic astrocytoma in a patient with protein S deficiency, 64-com

B

Badley LJ. *See* Abrahams JM

Bagley LJ. *See* Schwartz ED

Baranov D. *See* Abrahams JM

Barrow D. Rethinking neurosurgical subspecialization, 370-com

Basgun N. *See* Saatci I

Behari S. *See* Subramaniam P

Bellakhdar F. *See* Akhaddar A

Berker M. *See* Saatci I

Borges L. Posterior approaches in the management of cervical spondylosis and ossification of the posterior longitudinal ligament, 208-com

Bose B. Primary osteogenic sarcoma of the skull, 234

Brace LD. Perioperative assessment of coagulability in neurosurgical patients using thromboelastography, 12-com

C

Cappabianca P. *See* de Divitiis E

Cekirge HS. *See* Saatci I

Chakir N. *See* Akhaddar A

Chandy MJ. *See* Shankar A

Chang C-Z, Winardi D, Lin C-L, Kwan A-L, Jeng AY, Kassell NF, Howng S-L, Lee KS. Attenuation of hemolysate-induced cerebrovascular endothelial cell injury and of production of endothelin-1 and big endothelin-1 by an endothelin-converting enzyme inhibitor, 181

Chang HS. The diameter-cube hypotheses: a new biophysical model of aneurysm rupture, 180-com

Cheng SWK. *See* Ting ACW

Cheung GCY. *See* Ting ACW

Chhabra DK. *See* Subramaniam P

Chin LS. *See* Ioffe V

Chite SH. *See* Nathoo N

Cho D-Y, Liau W-R. Comparison of endonsal endoscopic surgery and sublabial microsurgery for prolactinomas, 371

Clappetta P. *See* Paolini S

Cochran EJ. *See* Engelhardt HH

Coenen VA. *See* Möller-Hartmann W

Cole H. Intracranial metastasis or meningioma? an uncommon clinical diagnostic dilemma, 245-com

Cole H. The role of postoperative patient posture in the revurrence of chronic subdural hematoma: a prospective randomized trial, 387-com

0090-3019/02/$–see front matter
PII S0090-3019(02)01058-3

© 2002 by Elsevier Science Inc.
360 Park Avenue South, New York, NY 10010–1710

ELSEVIER

AUTHOR INDEX

A

Abrahams JM, Badley LJ, Flamm ES, Hurst RW, Sinson GP. Alternative management considerations for ethmoidal dural arteriovenous fistulas, 410

Abrahams JM, Torchia MB, McBarvey M, Putt M, Baranov D, Sinson GP. Perioperative assessment of coagulability in neurosurgical patients using thromboelastography, 5

Akhaddar A, Jiddane M, Chakir N, El Hassani R, Moustarchid B, Bellakhdar F. Cerebellar abscesses secondary to occipital dermoid cyst with dermal sinus: case report, 266

Alleyne CH. *See* Tomlin JM

Andaluz N, Tomsick TA, Tew JM, van Loveren HR, Yeh H-S, Zuccarello M. Indications for endovascular therapy for refractory vasospasm after aneurysmal subarachnoid hemorrhage: experience at the University of Cincinnati, 131

Andoh M. *See* Ishikawa T

Andrews BT. Perioperative assessment of coagulability in neurosurgical patients using thromboelastography, 12-com

Angevine PD, Connolly ES Jr. Psuedoaneurysms of the superficial temporal artery secondary to placement of external ventricular drainage catheters, 258

Anno I. *See* Asakawa H

Arriada N, Sotelo J. Review: treatment of hydrocephalus in adults, 377

Asakawa H, Yanaka K, Fujita K, Marushima A, Anno I, Nose T. Intracranial dural arteriovenous fistula showing diffuse MR enhancement of the spinal cord: case report and review of the literature, 251

Asher A. Transdural metastasis from adenocarcinoma of the prostate mimicking subdural hematoma: case report, 331-com

Ausman JI. Book review: Severed Trust, 159-br

Ausman JI. In this issue, 1-ed, 71-ed, 161-ed, 291-ed, 355-ed

Ausman JI. Intraoperative angiograph for intracranial aneurysm surgery: what it really means, 351-ed

Ausman JI. Lessons from enron for neurosurgeons, 158-ed

Ausman JI. Practice patterns in the U.S., 286, 349-ed, 429-ed

Ausman JI. "Subspecialization" according to Couldwell and Rovit, 427-ed

Ausman JI. The neurosurgical-biomedical complex gone wrong, 65-ed

Ausman JI. Thoughts on neurosurgery in Taiwan, 66-ed

Ausman JI. Why the international study of unruptured intracranial aneurysms has lost credibility with neuroscientists, 287-ed

Awad IA. Dural arteriovenous fistula after craniotomy for pilocytic astrocytoma in a patient with protein S deficiency, 64-com

B

Badley LJ. *See* Abrahams JM

Bagley LJ. *See* Schwartz ED

Baranov D. *See* Abrahams JM

Barrow D. Rethinking neurosurgical subspecialization, 370-com

Basgun N. *See* Saatci I

Behari S. *See* Subramaniam P

Bellakhdar F. *See* Akhaddar A

Berker M. *See* Saatci I

Borges L. Posterior approaches in the management of cervical spondylosis and ossification of the posterior longitudinal ligament, 208-com

Bose B. Primary osteogenic sarcoma of the skull, 234

Brace LD. Perioperative assessment of coagulability in neurosurgical patients using thromboelastography, 12-com

C

Cappabianca P. *See* de Divitiis E

Cekirge HS. *See* Saatci I

Chakir N. *See* Akhaddar A

Chandy MJ. *See* Shankar A

Chang C-Z, Winardi D, Lin C-L, Kwan A-L, Jeng AY, Kassell NF, Howng S-L, Lee KS. Attenuation of hemolysate-induced cerebrovascular endothelial cell injury and of production of endothelin-1 and big endothelin-1 by an endothelin-converting enzyme inhibitor, 181

Chang HS. The diameter-cube hypotheses: a new biophysical model of aneurysm rupture, 180-com

Cheng SWK. *See* Ting ACW

Cheung GCY. *See* Ting ACW

Chhabra DK. *See* Subramaniam P

Chin LS. *See* Ioffe V

Chite SH. *See* Nathoo N

Cho D-Y, Liau W-R. Comparison of endonsal endoscopic surgery and sublabial microsurgery for prolactinomas, 371

Clappetta P. *See* Paolini S

Cochran EJ. *See* Engelhardt HH

Coenen VA. *See* Möller-Hartmann W

Cole H. Intracranial metastasis or meningioma? an uncommon clinical diagnostic dilemma, 245-com

Cole H. The role of postoperative patient posture in the revurrence of chronic subdural hematoma: a prospective randomized trial, 387-com

0090-3019/02/$–see front matter
PII S0090-3019(02)01058-3

© 2002 by Elsevier Science Inc.
360 Park Avenue South, New York, NY 10010–1710

Connolly ES Jr. *See* Angevine PD; D'Ambrosio AL
Cosgrove GR. Preoperative assessment of motor cortex and puramidal tracts in central cacernoma employing functional and diffusion-weighted magnetic resonance imaging, 308-com
Coudwell WT, Rovit RL. Rethinking neurosurgical subspecialization, 359
Couldwell WT. *See* Sabit I

D

Dacey R. Attenuation of hemolysate-induced cerebrovascular endothelial cell injury and of production of endothelin-1 and big endothelin-1 by an endothelin-converting enzyme inhibitor, 188-com
D'Ambrosio AL, Hoh DJ, Mack WJ, Winfree CJ, Nair MN, Ducruet A, Sciacca RR, Huang J, Pinsky DJ, Connolly ES Jr. Interhemispheric intracranial pressure gradients in nonhuman primate stroke, 295
Dammers R, Koehler PJ. Lumbar disc herniation: level increases with age, 209
Daniel RT. *See* Shankar A
Debrun G. Alternative management considerations for ethmoidal dural arteriovenous fistulas, 416-com
Debrun G. Endovascular treatment of kissing aneurysms at the fenestrated basilar artery: case report with literature review, 58-com
Debrun G. Selective intraoperative angiography in intracranial aneurysm surgery: intraoperative factors associated with aneurysmal remmants and vessel occlusions, 315-com
Debrun G. Three dimensional subtraction angiography imaging of a ruptured aneurysm on the anterior communication artery, 53-com
de Divitiis E, Cappabianca P. Lumbar diskectomy with preservation of the ligamentum flavum, 68-rc
del Valle R. *See* Guinto G
DeMonte F. Primary B-cell lymphoma of the clivus, 250-com
de Sousa AA. *See* Sampson D
de Suousa A. The diameter-cube hypotheses: a new biophysical model of aneurysm rupture, 180-com
Diaz Day J. Stereotactic radiosurgery for aggressive papillary tumor of the temporal bone case report, 127-com
Dickey P, Kailasnath P. The diameter-cube hypotheses: a new biophysical model of aneurysm rupture, 166
di Rocco C. Rethinking neurosurgical subspecialization, 370-com
Dorsch N. Attenuation of hemolysate-induced cerebrovascular endothelial cell injury and of production of endothelin-1 and big endothelin-1 by an endothelin-converting enzyme inhibitor, 188-com
Dorsch NWC. Three dimensional subtraction angiography imaging of a ruptured aneurysm on the anterior communication artery, 53-com
Dowd C. Alternative management considerations for ethmoidal dural arteriovenous fistulas, 416-com
Dowd C. Complete regression of intracranial arteriovenous malformations, 147-com
Dowd C. Endovascular treatment of kissing aneurysms at the fenestrated basilar artery: case report with literature review
58-com
Dowd C. Indications for endovascular therapy for refractory vasospasm after aneurysmal subarachnoid hemorrhage: experience at the University of Cincinnati, 138-com
Dowd C. Intracranial dural arteriovenous fistula showing diffuse MR enhancement of the spinal cord: case report and review of the literature, 257-com
Dowd C. Three dimensional digital subtraction angiography imaging of a ruptured aneurysm on the anterior communication artery, 53-com
Ducruet A. *See* D'Ambrosio AL
Dumont A. The diameter-cube hypotheses: a new biophysical model of aneurysm rupture, 180-com
Dumont R. The diameter-cube hypotheses: a new biophysical model of aneurysm rupture, 180-com

E

Edwards PJ. *See* Nathoo N
El Hassani R. *See* Akhaddar A
Endo M. *See* Shigeno T
Engelhardt HH, Steleas A, Cochran EJ. Oligodendroglioma: pathology and molecular biology, 111
Epstein N. Posterior approaches in the management of cervical spondylosis and ossification of the posterior longitudinal ligament, 194
Espinosa J. *See* Tsai VW

F

Fabinyi G. Seizure-induced thoracic spine compression fracture: case report, 217-com
Fager C. Lumbar disc herniation: level increases with age, 213-com
Fan YW. *See* Ting ACW
Feste CD. *See* Rosahl SK
Fink U. *See* Wörner BA
Flamm ES. *See* Abrahams JM
Fujimaki H, Saito N, Tosaka M, Tanaka Y, Horiguchi K, Sasaki T. Cerebrospinal fluid leak demonstrated by three-dimentional computed tomographic myelography in patients with spontaneous intracranial hypotension, 280
Fujita K. *See* Asakawa H
Fukuhara T, Luciano MG, Kowalski RJ. Clinical features of third ventriculostomy failures classified by fenestration patency, 102

G

Ganapathy K. Telemedicine and neurosciences in developing countries, 388
Gharabaghi A. *See* Rosahl SK
Giannotta S. Selective intraoperative angiography in intracranial aneurysm surgery: intraoperative factors associated with aneurysmal remmants and vessel occlusions, 315-com
Gilman S. *See* Vilensky JA
Glatz FR. *See* Tsai VW

Goda M. *See* Kamida T
Goodman J. Rethinking neurosurgical subspecialization, 370-com
Goodrich JT. Heterotopic ossification in the orbit, 424-com
Goodrich JT. Modified infratemporal fossa approach via lateral transantral maxillotomy: a microsurgical model, 31-com
Guinto G, del Valle R, Nishimura E, Mercado M, Nettel B, Salazar F. Primary empty sella syndrome: the role of visual system herniation, 42

H
Haase J. Rethinking neurosurgical subspecialization, 370-com
Hahn Y. A split cord malformation with paresis of the unilateral lower limb: case report, 409-com
Hahn Y. Familial ossification of the posterior longitudinal ligament (OPLL) in the thoracic spine: case report, 405-com
Harada H. *See* Tsutsumi M
Hardy J. Primary empty sella syndrome: the role of visual system herniation, 48-com
Hardy R. Cerebrospinal fluid leak demonstrated by three-dimentional computed tomographic myelography in patients with spontaneous intracranial hypotension, 285-com
Hashi K. The diameter-cube hypotheses: a new biophysical model of aneurysm rupture, 180-com
Hayashi K, Kitagawa N, Takahata H, Morikawa M, Yoshioka T, Shabani HK, Kitange G, Ochi M, Kaminogo M, Shibata S. Endovascular treatment for cervical carotid artery stenosis presenting with progressing stroke: three case reports, 148
Henn J. The diameter-cube hypotheses: a new biophysical model of aneurysm rupture, 180-com
Hoh DJ. *See* D'Ambrosio AL
Horiguchi K. *See* Fujimaki H
Hotta S. *See* Shigeno T
Howng S-L. *See* Chang C-Z; Loh J-K
Huang J. *See* D'Ambrosio AL
Hudes RS. *See* Ioffe V
Huete I. *See* Tagle P
Hung KN. *See* Ting ACW
Hunt CD. Civilian infratentorial gunshot injuries : outcome analysis of 26 patients, 233-com
Hunt CD. Perioperative assessment of coagulability in neurosurgical patients using thromboelastography, 12-com
Hurst RW. *See* Abrahams JM; Schwartrz ED

I
Imaizumi S, Onuma T, Kameyama M, Ishii K. Symptom changes caused by movement of a calcified lateral ventricular meningioma: case report, 128
Imaizumi S, Onuma T, Motohashi O, Kameyama M. Growth of small unruptured intracranial aneurysm: case report, 155
Imaizumi S, Onuma T, Motohashi O, Kameyama M, Ishii K. Unruptured carotid-duplicated middle cerebral artery aneurysm: case report, 322
Inoue R. *See* Kamida T
Ioffe V, Hudes RS, Shepard D, Simard JM, Chin LS, Yu C. Fetal and ovarian radiation dose in patients undergoing gamma knife radiosurgery, 32
Ishii K. *See* Imaizumi S; Kamida T
Ishikawa T, Kazumata K, Ni-iya Y, Kamiyama H, Andoh M. Subarachnoid hemorrhage as a result of fungal aneurysm at the posterior communicating artery associated with occlusion of the internal carotid artery: case report, 261

J
Jahromi BS. *See* Yassari R
Jain VK. *See* Subramaniam P
Jeng AY. *See* Chang C-Z
Jiddane M. *See* Akhaddar A
Jones R. Review: treatment of hydrocephalus in adults, 384-com
Juvela S. Growth of small unruptured intracranial aneurysm: case report, 157-com

K
Kailasnath P. *See* Dickey P
Kaiser M. Cerebrospinal fluid leak demonstrated by three-dimentional computed tomographic myelography in patients with spontaneous intracranial hypotension, 285-com
Kamel OW. *See* Tsai VW
Kameyama M. *See* Imaizumi S
Kamida T, Osono M, Inoue R, Wakabayashi Y, Goda M, Ishii K, Kobayashi H. Stereotactic radiosurgery for aggressive papillary tumor of the temporal bone case report, 124
Kaminogo M. *See* Hayashi K
Kamiyama H. *See* Ishikawa T
Kan N. *See* Nakajia H
Karcaaltincaba M. *See* Saatci I
Kassell N. The diameter-cube hypotheses: a new biophysical model of aneurysm rupture, 180-com
Kassell NF. *See* Chang C-Z
Kazekawa K. *See* Tsutsumi M
Kazumata K. *See* Ishikawa T
Kikinis R. Preoperative assessment of motor cortex and puramidal tracts in central cacernoma employing functional and diffusion-weighted magnetic resonance imaging, 308-com
Kindt G. *See* Tanabe J
Kishi H. *See* Nakajia H
Kitagawa N. *See* Hayashi K
Kitange G. *See* Hayashi K
Kobayashi H. *See* Kamida T
Kobayashi S. The diameter-cube hypotheses: a new biophysical model of aneurysm rupture, 180-com
Kochi M. *See* Yamada K
Kojima A, Yamaguchi N, Okui S. Three dimensional digital subtraction angiography imaging of a ruptured aneurysm on the anterior communication artery, 49
Kondziolka D. Fetal and ovarian radiation dose in patients undergoing gamma knife radiosurgery, 41-com
Kooehler PJ. *See* Dammers R
Kowalski RJ. *See* Fukuhara T
Kränzlein H. *See* Möller-Hartmann W

Krings T. *See* Möller-Hartmann W
Kuhn MJ. *See* Tsai VW
Kumai J. *See* Shigeno T
Kuratsu J-i. *See* Takeshima H
Kwan A-L. *See* Chang C-Z; Loh J-K

L
Lange M. *See* Wörner BA
Latchaw R. Diffusion-weighted MR imaging in the preoperative assessment of brain abscesses, 402-com
Laws E. Rethinking neurosurgical subspecialization, 370-com
Lee KS. *See* Chang C-Z
Lemole M. The diameter-cube hypotheses: a new biophysical model of aneurysm rupture, 180-com
Leuthardt EC, Wippold FJ II, Oswood MC, Rich KM. Diffusion-weighted MR imaging in the preoperative assessment of brain abscesses, 395
Levy E. Long-lasting improvement of arterial hypertension after surgical treatment of a foramen magnum meningioma: case report, 193-com
Liau W-R. *See* Cho D-Y
Liebig T. *See* Rosahl SK
Lin C-L. *See* Chang C-Z; Loh J-K
Loftus C. Endovascular treatment for cervical carotid artery stenosis presenting with progressing stroke: three case reports, 154-com
Loh J-K, Lin C-L, Kwan A-L, Howng S-L. Acute subdural hematoma in infancy, 218
Long D. Rethinking neurosurgical subspecialization, 370-com
Lot G. The diameter-cube hypotheses: a new biophysical model of aneurysm rupture, 180-com
Luciano MG. *See* Fukuhara T
Lüdecke D. Comparison of endonsal endoscopic surgery and sublabial microsurgery for prolactinomas, 376-com
Lunsford D. Rethinking neurosurgical subspecialization, 370-com

M
Macdonald RL. *See* Yassari R
Macdonald RL. Attenuation of hemolysate-induced cerebrovascular endothelial cell injury and of production of endothelin-1 and big endothelin-1 by an endothelin-converting enzyme inhibitor, 188-com
Macdonald RL. Perioperative deep vein thrombosis in Chinese patients undergoing craniotomy, 279-com
Mack WJ. *See* D'Ambrosio AL
Malis L. Multiple subpial lipomas with dumb-bell extradural extension through the intervertebral foramen without spinal dysraphism, 343-com
Malis L. Rethinking neurosurgical subspecialization, 370-com
Mao Y. Primary osteogenic sarcoma of the skull, 240-com
Martin CJ, Sinson G, Patterson T, Zager EL, Stecker MM. Sensitivity of scalp EEG, cortical EEG, and somatosensory evoked ressponses during surgery for intracranial aneurysms, 317
Marushima A. *See* Asakawa H
Mathews F. *See* Tsai VW
Mayfrank L. *See* Möller-Hartmann W
McCormick P. Cerebrospinal fluid leak demonstrated by three-dimentional computed tomographic myelography in patients with spontaneous intracranial hypotension, 285-com
McGarvey M. *See* Abrahams JM
Mercado M. *See* Guinto G
Miura M. *See* Yamada K
Miyayama H. *See* Yamada K
Mizushima H, Seki T. Midbrain hemorrhage presenting with oculomotor nerve palsy: case report, 417
Möller-Hartmann W, Krings T, Coenen VA, Mayfrank L, Weidemann J, Kränzlein H, Thron A. Preoperative assessment of motor cortex and puramidal tracts in central cacernoma employing functional and diffusion-weighted magnetic resonance imaging, 302
Morikawa M. *See* Hayashi K
Motohashi O. *See* Imaizumi S
Moustarchid B. *See* Akhaddar A

N
Nair MN. *See* D'Ambrosio AL
Nakagawa H. Posterior approaches in the management of cervical spondylosis and ossification of the posterior longitudinal ligament, 208-com
Nakajia H, Yasui T, Nishikawa M, Kishi H, Kan N. The role of postoperative patient posture in the revurrence of chronic subdural hematoma: a prospective randomized trial, 385
Nanda A, Vannemreddy PSSV. Surgical management of unruptured aneurysms: prognostic indicators 13
Nanda A, Willis BK, Vannemreddy PSSV. Selective intraoperative angiography in intracranial aneurysm surgery: intraoperative factors associated with aneurysmal remmants and vessel occlusions, 309
Nathoo N, Chite SH, Edwards PJ, van Dellen JR. Civilian infratentorial gunshot injuries : outcome analysis of 26 patients, 225
Nettel B. *See* Guinto G
Nii K. *See* Tsutsumi M
Ni-iya Y. *See* Ishikawa T
Nishikawa M. *See* Nakajia H
Nishimura E. *See* Guinto G
Nishi T. *See* Takeshima H
Nitta J. The diameter-cube hypotheses: a new biophysical model of aneurysm rupture, 180-com
Nomoto Y. *See* Tsutsumi M
Nose T. *See* Asakawa H

O
Ochi M. *See* Hayashi K
Oeckler R. *See* Wörner BA
Okui S. *See* Kojima A
Onuma T. *See* Imaizumi S
Osono, M. *See* Kamida T
Oswood MC. *See* Leuthardt EC
Oya S. *See* Shigeno T
Ozcan OE. *See* Saatci I

P

Pagni C. Lumbar disc herniation: level increases with age, 213-com
Pagni C. Posterior approaches in the management of cervical spondylosis and ossification of the posterior longitudinal ligament, 208-com
Paolini S, Ralli G, Clappetta P, Raco A. Gas-containing otogenic brain abscess, 271
Patterson T. *See* Martin CJ
Pawl R. Rethinking neurosurgical subspecialization, 370-com
Pearce J. Intracranial metastasis or meningioma? an uncommon clinical diagnostic dilemma, 245-com
Pearce J. Rethinking neurosurgical subspecialization, 370-com
Pearce J. The role of postoperative patient posture in the revurrence of chronic subdural hematoma: a prospective randomized trial, 387-com
Pinsky DJ. *See* D'Ambrosio AL
Portnoy H. Review: treatment of hydrocephalus in adults, 384-com
Pritz M. Perioperative deep vein thrombosis in Chinese patients undergoing craniotomy, 279-com
Putt M. *See* Abrahams JM

R

Raco A. *See* Paolini S
Rahim T. *See* Wörner BA
Ralli G. *See* Paolini S
Rich KM. *See* Leuthardt EC
Roitberg B. Interhemispheric intracranial pressure gradients in nonhuman primate stroke, 301-com
Roitberg B. Oligodendroglioma: pathology and molecular biology, 117-com
Roitberg B. Research news and notes, 3, 73, 163, 293, 357
Roitberg B. The diameter-cube hypotheses: a new biophysical model of aneurysm rupture, 180-com
Rosahl SK, Gharabaghi A, Liebig T, Feste CD, Tatagiba M, Samii M. Skin markers for surgical planning for intradural lesions of the thoracic spine: technical note, 346
Rosenwasser R. Indications for endovascular therapy for refractory vasospasm after aneurysmal subarachnoid hemorrhage: experience at the University of Cincinnati, 138-com
Rovit RL. *See* Coudwell WT
Rybak L. *See* Tsai VW

S

Saatci I, Cekirge HS, Karcaaltincaba M, Basgun N, Berker M, Timurkaynak I, Ozcan OE. Endovascular treatment of kissing aneurysms at the fenestrated basilar artery: case report with literature review, 54
Sabit I, Schaefer SD, Couldwell WT. Modified infratemporal fossa approach via lateral transantral maxillotomy: a microsurgical model, 21
Saito N. *See* Fujimaki H
Sakashita M. *See* Yamada K
Salazar F. *See* Guinto G
Sambasivan M. Primary osteogenic sarcoma of the skull, 240-com
Samii M. *See* Rosahl SK
Sampson D, de Sousa AA. Intraoperative angiography, 316
Sarin H. *See* Tanabe J
Sasaki T. *See* Fujimaki H
Sato K, Yoshida Y, Shirane R, Yoshimoto T. A split cord malformation with paresis of the unilateral lower limb: case report, 406
Sawaya R. Prognostic factors in patients who survived more than 10 years after undergoing surgery for metastatic brain tumors: report of 5 cases and review of the literature, 123-com
Schaefer SD. *See* Sabit I
Schwartz ED, Hurst RW, Sinosn G, Bagley LJ. Complete regression of intracranial arteriovenous malformations, 139
Sciacca RR. *See* D'Ambrosio AL
Seki T. *See* Mizushima H
Shabani HK. *See* Hayashi K
Shamoto H. *See* Takahashi T
Shankar A, Daniel RT, Walter N, Chandy MJ. Heterotopic ossification in the orbit, 421
Shepard D. *See* Ioffe V
Shibata S. *See* Hayashi K
Shigeno T, Kumai J, Endo M, Oya S, Hotta S. Tilting operating table with self-control foot switch: a new neurosurgical tool, 344
Shimizu H. *See* Takahashi T
Shirane R. *See* Sato K
Simard JM. *See* Ioffe V
Singh S. *See* Subramaniam P
Sinson G. *See* Martin CJ; Schwartrz ED
Sinson GP. *See* Abrahams JM
Sloan A. Brain metastases from asymptomatic adenocarcinoma of the pancreas: an autopsy case report, 337-com
Solomon R. Complete regression of intracranial arteriovenous malformations, 147-com
Solomon R. Sensitivity of scalp EEG, cortical EEG, and somatosensory evoked ressponses during surgery for intracranial aneurysms, 321-com
Solomon R. Surgical management of unruptured aneurysms: prognostic indicators, 20-com
Solomon R. The diameter-cube hypotheses: a new biophysical model of aneurysm rupture, 180-com
Sotelo J. *See* Arriada N
Spetzler R. The diameter-cube hypotheses: a new biophysical model of aneurysm rupture, 180-com
Stecker MM. *See* Martin CJ
Steinberg G. Sensitivity of scalp EEG, cortical EEG, and somatosensory evoked ressponses during surgery for intracranial aneurysms, 321-com
Steleas A. *See* Engelhardt HH
Subramaniam P, Behari S, Singh S, Jain VK, Chhabra DK. Multiple subpial lipomas with dumb-bell extradural extension through the intervertebral foramen without spinal dysraphism, 338

T

Tagle P, Villanueva P, Torreabla G, Huete I. Intracranial metastasis or meningioma? an uncommon clinical diagnostic dilemma, 241

Takahashi T, Tominaga T, Shamoto H, Shimizu H, Yoshimotot T. Seizure-induced thoracic spine compression fracture: case report, 214
Takahata H. *See* Hayashi K
Takeshima H, Kuratsu J-i, Nishi T, Ushio Y. Prognostic factors in patients who survived more than 10 years after undergoing surgery for metastatic brain tumors: report of 5 cases and review of the literature, 118
Tanabe J, Sarin H, Kindt G. Familial ossification of the posterior longitudinal ligament (OPLL) in the thoracic spine: case report, 403
Tanaka A. *See* Tsutsumi M
Tanaka Y. *See* Fujimaki H
Tatagiba M. *See* Rosahl SK
Tew JM. *See* Andaluz N
Thron A. *See* Möller-Hartmann W
Timurkaynak I. *See* Saatci I
Ting ACW, Cheng SWK, Cheung GCY, Lu LLH, Hung KN, Fan YW. Perioperative deep vein thrombosis in Chinese patients undergoing craniotomy, 274
Tominaga T. *See* Takahashi T
Tomlin JM, Alleyne CH. Transdural metastasis from adenocarcinoma of the prostate mimicking subdural hematoma: case report, 329
Tomsick TA. *See* Andaluz N
Torchia MB. *See* Abrahams JM
Torreabla G. *See* Tagle P
Tosaka M. *See* Fujimaki H
Tsai VW, Rybak L, Espinosa J, Kuhn MJ, Kamel OW, Matthews F, Glatz FR. Primary B-cell lymphoma of the clivus, 246
Tsutsumi M, Kazekawa K, Tanaka A, Ueno Y, Nomoto Y, Nii K, Harada H. Traumatic middle meningeal artery psuedoaneurysm and subsequent fistula formation with the cavernous sinus: case report, 325

U

Ueno Y. *See* Tsutsumi M
Ushio Y. *See* Takeshima H; Yamada K

V

van Dellen JR. *See* Nathoo N
van Gelder J. The diameter-cube hypotheses: a new biophysical model of aneurysm rupture, 180-com
VanGilder J. Rethinking neurosurgical subspecialization, 370-com
VanGilder JC. Primary empty sella syndrome: the role of visual system herniation, 48-com
van Loveren HR. *See* Andaluz N
Vannemreddy PSSV. *See* Nanda A
Vilensky JA, Gilman S. Horsley was the first to use electrical stimulation of the human cerebral cortex intraoperatively, 425
Villanueva P. *See* Tagle P

W

Wagner F. Lumbar disc herniation: level increases with age, 213-com
Wagner F. Posterior approaches in the management of cervical spondylosis and ossification of the posterior longitudinal ligament, 208-com
Wakabayashi Y. *See* Kamida T
Walter N. *See* Shankar A
Wang C. Multiple subpial lipomas with dumb-bell extradural extension through the intervertebral foramen without spinal dysraphism, 343-com
Weidemann J. *See* Möller-Hartmann W
Weiss M. Rethinking neurosurgical subspecialization, 370-com
Wiebers D. The diameter-cube hypotheses: a new biophysical model of aneurysm rupture, 180-com
Willis BK. *See* Nanda A
Winardi D. *See* Chang C-Z
Winfree CJ. *See* D'Ambrosio AL
Wippold FJ II. *See* Leuthardt EC
Wörner BA, Rahim T, Lange M, Fink U, Oeckler R. Long-lasting improvement of arterial hypertension after surgical treatment of a foramen magnum meningioma: case report, 189
Wu LLH. *See* Ting ACW

Y

Yamada K, Miura M, Miyayama H, Sakashita M, Kochi M, Ushio Y. Brain metastases from asymptomatic adenocarcinoma of the pancreas: an autopsy case report, 332
Yamaguchi N. *See* Kojima A
Yanaka K. *See* Asakawa H
Yassari R, Jahromi BS, Macdonald RL. Dural arteriovenous fistula after craniotomy for pilocytic astrocytoma in a patient with protein S deficiency, 59
Yasui T. *See* Nakajia H
Yeh H-S. *See* Andaluz N
Yoshida Y. *See* Sato K
Yoshimoto T. *See* Sato K; Takahashi T
Yoshimoto T. Complete regression of intracranial arteriovenous malformations, 147-com
Yoshimoto T. Surgical management of unruptured aneurysms: prognostic indicators, 20-com
Yoshioka T. *See* Hayashi K
Yu C. *See* Ioffe V

Z

Zager EL. *See* Martin CJ
Zhou L-F. Primary osteogenic sarcoma of the skull, 240-com
Zuccarello M. *See* Andaluz N

SUBJECT INDEX

A
Abscess
  cerebellar abscesses secondary to occipital dermoid cyst with dermal sinus, 266
  diffusion-weighted MR imaging in preoperative assessment of brain abscesses, 395
  gas-containing otogenic brain abscess, 271
Abstracts from the 55th Annual Meeting of the Neurosurgical Society of America, 77
Access to care, telemedicine and neurosciences in developing countries, 388
Age effects, lumbar disc herniation: level increases with age, 209
Aneurysms
  diameter-cube hypothesis: new biophysical model of aneurysm rupture, 166
  endovascular treatment of kissing aneurysms at fenestrated basilar artery, 54
  growth of small unruptured intracranial aneurysm, 155
  indications for endovascular therapy for refractory vasospasm after aneurysmal subarachnoid hemorrhage, 131
  intraoperative angiography, 316
  intraoperative angiography for aneurysm surgery: what it really means, 351-ed
  pseudoaneurysms of superficial temporal artery secondary to placement of external ventricular drainage catheters, 258
  selective intraoperative angiography in intracranial aneurysm surgery, 309
  sensitivity of scalp EEG, cortical EEG, and somatosensory evoked responses during surgery for intracranial aneurysms, 317
  subarachnoid hemorrhage as result of fungal aneurysm at posterior communicating artery associated with occlusion of internal carotid artery, 261
  surgical management of unruptured aneurysms: prognostic indicators, 13
  three dimensional digital subtraction angiography of ruptured aneurysm on anterior communicating artery, 49
  traumatic middle meningeal artery pseudoaneurysm and subsequent fistula formation with cavernous sinus, 325
  unruptured carotid-duplicated middle cerebral artery aneurysms, 322
  why the International Study of Unruptured Intracranial Aneurysms has lost credibility with neuroscientists, 287-ed
Angiography
  complete regression of intracranial arteriovenous malformations, 139
  endovascular treatment of kissing aneurysms at fenestrated basilar artery, 54
  growth of small unruptured intracranial aneurysm, 155
  intracranial metastasis or meningioma?, 241
  intraoperative, 316
  intraoperative angiography for aneurysm surgery: what it really means, 351-ed
  selective intraoperative angiography in intracranial aneurysm surgery, 309
  three dimensional digital subtraction angiography of ruptured aneurysm on anterior communicating artery, 49
  unruptured carotid-duplicated middle cerebral artery aneurysms, 322
Angioplasty, indications for endovascular therapy for refractory vasospasm after aneurysmal subarachnoid hemorrhage, 131
Anterior communicating artery, three dimensional digital subtraction angiography of ruptured aneurysm on, 49
Apparatus, tilting operating table with self-control foot switch, 344
Arteriovenous fistula
  dural, after craniotomy for pilocytic astrocytoma in patient with protein S deficiency, 59
  ethmoidal dural, alternative management considerations for, 410
  intracranial dural, showing diffuse MR enhancement of spinal cord, 251
  traumatic middle meningeal artery pseudoaneurysm and subsequent fistula formation with cavernous sinus, 325
Arteriovenous malformation, intracranial, complete regression of, 139
Astrocytoma, dural arteriovenous fistula after craniotomy for pilocytic astrocytoma in patient with protein S deficiency, 59

B
B-cell lymphoma of clivus, 246
Basilar artery, fenestrated, endovascular treatment of kissing aneurysms at, 54
Blood coagulation, perioperative assessment of coagulability using thromboelastography, 5
BOOK REVIEWS
  Severed Trust, 159

0090-3019/02/$–see front matter
PII S0090-3019(02)01059-5

© 2002 by Elsevier Science Inc.
360 Park Avenue South, New York, NY 10010–1710

Brain abscess
cerebellar abscesses secondary to occipital dermoid cyst with dermal sinus, 266
diffusion-weighted MR imaging in preoperative assessment of, 395
gas-containing otogenic, 271
Brain tumors
brain metastases from asymptomatic adenocarcinoma of pancreas, 332
comparison of endonasal endoscopic surgery and sublabial microsurgery for prolactinomas, 371
dural arteriovenous fistula after craniotomy for pilocytic astrocytoma in patient with protein S deficiency, 59
intracranial metastasis or meningioma?, 241
oligodendroglioma: pathology and molecular biology, 111
primary B-cell lymphoma of clivus, 246
prognostic factors in patients who survived more than 10 years after undergoing surgery for metastatic brain tumors, 118
symptom changes caused by movement of a calcified lateral ventricular meningioma, 128

C
Carotid artery
endovascular treatment of carotid artery stenosis presenting with progressing stroke, 148
subarachnoid hemorrhage as result of fungal aneurysm at posterior communicating artery associated with occlusion of internal carotid artery, 261
unruptured carotid-duplicated middle cerebral artery aneurysms, 322
Cavernoma, preoperative assessment of motor cortex and pyramidal tracts in central cavernoma employing functional and diffusion-weighted MRI, 302
Cerebral vasospasm
attenuation of hemolysate-induced cerebrovascular endothelial cell injury and of production of endothelin-1 and big endothelin-1 by an endothelin-converting enzyme inhibitor, 181
indications for endovascular therapy for refractory vasospasm after aneurysmal subarachnoid hemorrhage, 131
Cerebrospinal fluid leak, demonstrated by three-dimensional CT myelography in patients with spontaneous intracranial hypotension, 280
Cervical spondylosis, posterior approaches in management of ossification of posterior longitudinal ligament and, 194
Cisternography, cerebrospinal fluid leak demonstrated by three-dimensional CT myelography in patients with spontaneous intracranial hypotension, 280
Clivus, primary B-cell lymphoma of, 246
Coagulability, perioperative assessment using thromboelastography, 5
Computed tomography
intracranial metastasis or meningioma?, 241
split cord malformation with paresis of unilateral lower limb, 406
Craniotomy
dural arteriovenous fistula after craniotomy for pilocytic astrocytoma in patient with protein S deficiency, 59
perioperative deep vein thrombosis in Chinese patients undergoing, 274

D
Deep vein thrombosis, perioperative
assessment of coagulability using thromboelastography, 5
in Chinese patients undergoing craniotomy, 274
Dermoid cyst, occipital, with dermal sinus, cerebellar abscesses secondary to, 266
Developing countries, telemedicine and neurosciences in, 388
Diameter-cube hypothesis: new biophysical model of aneurysm rupture, 166
Diskectomy, lumbar, with preservation of ligamentum flavum, 68-le
Dural arteriovenous fistula
after craniotomy for pilocytic astrocytoma in patient with protein S deficiency, 59
ethmoidal, alternative management considerations for, 410
intracranial, showing diffuse MR enhancement of spinal cord, 251

E
Editorials
Intraoperative angiography for aneurysm surgery: what it really means, 351
Lessons from Enron for neurosurgeons, 158
The neurosurgical-biomedical complex gone wrong, 65
Practice patterns in the U.S., 349, 430
"Subspecialization" according to Couldwell and Rovit, 427-ed
In this issue, 1, 71, 161, 291, 355
Thoughts on neurosurgery in Taiwan, 66
Why the International Study of Unruptured Intracranial Aneurysms has lost credibility with neuroscientists, 287
Electrical stimulation of human cerebral cortex, Horsley's intraoperative use of, 425
Electroencephalography (EEG), sensitivity of scalp EEG, cortical EEG, and somatosensory evoked responses during surgery for intracranial aneurysms, 317
Empty sella syndrome, role of visual system herniation, 42
Endoscopy, comparison of endonasal endoscopic surgery and sublabial microsurgery for prolactinomas, 371
Endothelin-1, attenuation of hemolysate-induced cerebrovascular endothelial cell injury and of production of endothelin-1 and big endothelin-1 by an endothelin-converting enzyme inhibitor, 181
Epilepsy surgery, Horsley's use of electrical stimulation of human cerebral cortex intraoperatively, 425

Evoked potentials, sensitivity of scalp EEG, cortical EEG, and somatosensory evoked responses during surgery for intracranial aneurysms, 317

F
Foramen magnum meningioma, long-lasting improvement of arterial hypertension after surgical treatment of, 189
Fracture, seizure-induced thoracic spine compression fracture, 214

G
Gamma knife
  fetal and ovarian radiation dose in patients undergoing gamma knife radiosurgery, 32
  stereotactic radiosurgery for aggressive papillary tumor of temporal bone, 124
Gas-containing otogenic brain abscess, 271
Gunshot injuries, civilian infratentorial, 225

H
Headache
  cerebrospinal fluid leak demonstrated by three-dimensional CT myelography in patients with spontaneous intracranial hypotension, 280
  primary empty sella syndrome: role of visual system herniation, 42
Hematoma, subdural
  acute, in infancy, 218
  cerebrospinal fluid leak demonstrated by three-dimensional CT myelography in patients with spontaneous intracranial hypotension, 280
  chronic, role of postoperative patient posture in recurrence of, 385
  transdural metastasis from adenocarcinoma of prostate mimicking, 329
Hemorrhage
  midbrain hemorrhage presenting with oculomotor nerve palsy, 417
  perioperative assessment of coagulability using thromboelastography, 5
  subarachnoid
    attenuation of hemolysate-induced cerebrovascular endothelial cell injury and of production of endothelin-1 and big endothelin-1 by an endothelin-converting enzyme inhibitor, 181
    endovascular treatment of kissing aneurysms at fenestrated basilar artery, 54
    indications for endovascular therapy for refractory vasospasm after aneurysmal subarachnoid hemorrhage, 131
    as result of fungal aneurysm at posterior communicating artery associated with occlusion of internal carotid artery, 261
    three dimensional digital subtraction angiography of ruptured aneurysm on anterior communicating artery, 49
Heterotopic ossification in orbit, 421
Horsley's use of electrical stimulation of human cerebral cortex intraoperatively, 425
Hydrocephalus
  civilian infratentorial gunshot injuries, 225
  treatment in adults, 377
Hypertension, arterial, long-lasting improvement after surgical treatment of foramen magnum meningioma, 189

I
Infection
  cerebellar abscesses secondary to occipital dermoid cyst with dermal sinus, 266
  diffusion-weighted MR imaging in preoperative assessment of brain abscesses, 395
  gas-containing otogenic brain abscess, 271
Infratemporal fossa approach via lateral transantral maxillotomy, 21
Intervertebral disc
  lumbar disc herniation: level increases with age, 209
  lumbar diskectomy with preservation of ligamentum flavum, 68-le
Intracranial pressure
  cerebrospinal fluid leak demonstrated by three-dimensional CT myelography in patients with spontaneous intracranial hypotension, 280
  interhemispheric intracranial pressure gradients in nonhuman primate stroke, 295
Intraoperative monitoring
  angiography, 316
  Horsley's use of electrical stimulation of human cerebral cortex intraoperatively, 425
  intraoperative angiography for aneurysm surgery: what it really means, 351-ed
  selective intraoperative angiography in intracranial aneurysm surgery, 309
  sensitivity of scalp EEG, cortical EEG, and somatosensory evoked responses during surgery for intracranial aneurysms, 317
Ischemia
  interhemispheric intracranial pressure gradients in nonhuman primate stroke, 295
  sensitivity of scalp EEG, cortical EEG, and somatosensory evoked responses during surgery for intracranial aneurysms, 317

L
Ligamentum flavum, lumbar diskectomy with preservation of, 68-le
Lipomas, multiple subpial, with dumb-bell extradural extension through the intervertebral foramen without spinal dysraphism, 338
Lumbar spine
  lumbar disc herniation: level increases with age, 209
  lumbar diskectomy with preservation of ligamentum flavum, 68-le
Lymphoma of clivus, primary B-cell, 246

M
Magnetic resonance angiography
  growth of small unruptured intracranial aneurysm, 155
  unruptured carotid-duplicated middle cerebral artery aneurysms, 322

Magnetic resonance imaging (MRI)
complete regression of intracranial arteriovenous malformations, 139
diffusion-weighted MR imaging in preoperative assessment of brain abscesses, 395
familial ossification of posterior longitudinal ligament in thoracic spine, 403
intracranial dural arteriovenous fistula showing diffuse MR enhancement of spinal cord, 251
midbrain hemorrhage presenting with oculomotor nerve palsy, 417
preoperative assessment of motor cortex and pyramidal tracts in central cavernoma employing functional and diffusion-weighted MRI, 302
primary empty sella syndrome: role of visual system herniation, 42
split cord malformation with paresis of unilateral lower limb, 406
Maxillary sinus, modified infratemporal fossa approach via lateral transantral maxillotomy, 21
Medical education
rethinking neurosurgical subspecialization, 359
"subspecialization" according to Couldwell and Rovit, 427-ed
Meningioma
vs. intracranial metastasis, 241
long-lasting improvement of arterial hypertension after surgical treatment of foramen magnum meningioma, 189
symptom changes caused by movement of a calcified lateral ventricular meningioma, 128
Metastasis
brain metastases from asymptomatic adenocarcinoma of pancreas, 332
intracranial metastasis or meningioma?, 241
prognostic factors in patients who survived more than 10 years after undergoing surgery for metastatic brain tumors, 118
transdural metastasis from adenocarcinoma of prostate mimicking subdural hematoma, 329
Microsurgery
comparison of endonasal endoscopic surgery and sublabial microsurgery for prolactinomas, 371
modified infratemporal fossa approach via lateral transantral maxillotomy, 21
tilting operating table with self-control foot switch, 344
Middle cerebral artery aneurysms, unruptured carotid-duplicated, 322
Middle meningeal artery traumatic pseudoaneurysm and subsequent fistula formation with cavernous sinus, 325
Minimally invasive surgery
comparison of endonasal endoscopic surgery and sublabial microsurgery for prolactinomas, 371
modified infratemporal fossa approach via lateral transantral maxillotomy, 21
Molecular biology of oligodendroglioma, 111

N
Neoplasms
brain metastases from asymptomatic adenocarcinoma of pancreas, 332
comparison of endonasal endoscopic surgery and sublabial microsurgery for prolactinomas, 371
dural arteriovenous fistula after craniotomy for pilocytic astrocytoma in patient with protein S deficiency, 59
intracranial metastasis or meningioma?, 241
long-lasting improvement of arterial hypertension after surgical treatment of foramen magnum meningioma, 189
multiple subpial lipomas with dumb-bell extradural extension through the intervertebral foramen without spinal dysraphism, 338
oligodendroglioma: pathology and molecular biology, 111
preoperative assessment of motor cortex and pyramidal tracts in central cavernoma employing functional and diffusion-weighted MRI, 302
primary B-cell lymphoma of clivus, 246
primary empty sella syndrome: role of visual system herniation, 42
primary osteogenic sarcoma of skull, 234
stereotactic radiosurgery for aggressive papillary tumor of temporal bone, 124
symptom changes caused by movement of a calcified lateral ventricular meningioma, 128
transdural metastasis from adenocarcinoma of prostate mimicking subdural hematoma, 329
Neurosurgery
lessons from Enron for neurosurgeons, 158-ed
the neurosurgical-biomedical complex gone wrong, 65-ed
practice patterns in the U.S., 286, 349-ed, 430-ed
rethinking neurosurgical subspecialization, 359
"subspecialization" according to Couldwell and Rovit, 427-ed
telemedicine and neurosciences in developing countries, 388
thoughts on neurosurgery in Taiwan, 66-ed
why the International Study of Unruptured Intracranial Aneurysms has lost credibility with neuroscientists, 287-ed
Neurosurgical Society of America, 55th Annual Meeting Abstracts, 77

O
Oculomotor nerve palsy, midbrain hemorrhage presenting with, 417
Oligodendroglioma: pathology and molecular biology, 111
Orbit, heterotopic ossification in, 421
Ossification
heterotopic, in orbit, 421
of posterior longitudinal ligament
familial, in thoracic spine, 403
posterior approaches in management of cervical spondylosis and, 194
Osteogenic sarcoma of skull, 234

P
Pancreatic adenocarcinoma, asymptomatic, brain metastases from, 332

Papaverine, indications for endovascular therapy for refractory vasospasm after aneurysmal subarachnoid hemorrhage, 131
Papillary tumor of temporal bone, stereotactic radiosurgery for, 124
Pediatric patients
  acute subdural hematoma in infancy, 218
  cerebellar abscesses secondary to occipital dermoid cyst with dermal sinus, 266
  rethinking neurosurgical subspecialization, 359
  split cord malformation with paresis of unilateral lower limb, 406
Pituitary adenoma, comparison of endonasal endoscopic surgery and sublabial microsurgery for prolactinomas, 371
Posterior communicating artery, subarachnoid hemorrhage as result of fungal aneurysm at, associated with occlusion of internal carotid artery, 261
Postoperative patient posture and recurrence of chronic subdural hematoma, 385
Practice patterns in the U.S., 286, 349-ed, 430-ed
Pregnant women, fetal and ovarian radiation dose in patients undergoing gamma knife radiosurgery, 32
Prognosis
  prognostic factors in patients who survived more than 10 years after undergoing surgery for metastatic brain tumors, 118
  surgical management of unruptured aneurysms: prognostic indicators, 13
Prolactinomas, comparison of endonasal endoscopic surgery and sublabial microsurgery for, 371
Prostate adenocarcinoma, transdural metastasis from, mimicking subdural hematoma, 329
Protein S deficiency, dural arteriovenous fistula after craniotomy for pilocytic astrocytoma in patient with, 59
Pseudoaneurysms
  of superficial temporal artery secondary to placement of external ventricular drainage catheters, 258
  traumatic middle meningeal artery pseudoaneurysm and subsequent fistula formation with cavernous sinus, 325

R

Radiation dose, fetal and ovarian, in patients undergoing gamma knife radiosurgery, 32
Radiosurgery
  for aggressive papillary tumor of temporal bone, 124
  fetal and ovarian radiation dose in patients undergoing gamma knife radiosurgery, 32
Readers' comments, Lumbar diskectomy with preservation of ligamentum flavum, 68-le
Research news and notes, 3, 73, 163, 293, 357

S

Seizures
  Horsley's use of electrical stimulation of human cerebral cortex intraoperatively, 425
  seizure-induced thoracic spine compression fracture, 214
Skin markers for surgical planning for intradural lesions of thoracic spine, 346
Skull, primary osteogenic sarcoma of, 234
Skull base, modified infratemporal fossa approach via lateral transantral maxillotomy, 21
Spinal cord
  intracranial dural arteriovenous fistula showing diffuse MR enhancement of, 251
  multiple subpial lipomas with dumb-bell extradural extension through the intervertebral foramen without spinal dysraphism, 338
  split cord malformation with paresis of unilateral lower limb, 406
Spinal fusion, posterior approaches in management of cervical spondylosis and ossification of posterior longitudinal ligament, 194
Spondylosis, posterior approaches in management of cervical spondylosis and ossification of posterior longitudinal ligament, 194
Spontaneous intracranial hypotension, cerebrospinal fluid leak demonstrated by three-dimensional CT myelography in patients with, 280
Stroke
  endovascular treatment for cervical carotid artery stenosis presenting with progressing stroke, 148
  interhemispheric intracranial pressure gradients in nonhuman primate stroke, 295
Subarachnoid hemorrhage
  attenuation of hemolysate-induced cerebrovascular endothelial cell injury and of production of endothelin-1 and big endothelin-1 by an endothelin-converting enzyme inhibitor, 181
  endovascular treatment of kissing aneurysms at fenestrated basilar artery, 54
  indications for endovascular therapy for refractory vasospasm after aneurysmal subarachnoid hemorrhage, 131
  as result of fungal aneurysm at posterior communicating artery associated with occlusion of internal carotid artery, 261
  three dimensional digital subtraction angiography of ruptured aneurysm on anterior communicating artery, 49
Subdural hematoma
  acute, in infancy, 218
  cerebrospinal fluid leak demonstrated by three-dimensional CT myelography in patients with spontaneous intracranial hypotension, 280
  chronic, role of postoperative patient posture in recurrence of, 385
  transdural metastasis from adenocarcinoma of prostate mimicking, 329
Subspecialization
  according to Couldwell and Rovit, 427-ed
  rethinking neurosurgical subspecialization, 359
Superficial temporal artery pseudoaneurysms secondary to placement of external ventricular drainage catheters, 258
Surgical technique
  alternative management considerations for ethmoidal dural arteriovenous fistula, 410
  comparison of endonasal endoscopic surgery and sublabial microsurgery for prolactinomas, 371
  endovascular treatment for cervical carotid artery stenosis presenting with progressing stroke, 148

endovascular treatment of kissing aneurysms at fenestrated basilar artery, 54
intraoperative angiography, 316
intraoperative angiography for aneurysm surgery: what it really means, 351-ed
modified infratemporal fossa approach via lateral transantral maxillotomy, 21
posterior approaches in management of cervical spondylosis and ossification of posterior longitudinal ligament, 194
primary empty sella syndrome: role of visual system herniation, 42
selective intraoperative angiography in intracranial aneurysm surgery, 309
sensitivity of scalp EEG, cortical EEG, and somatosensory evoked responses during surgery for intracranial aneurysms, 317
skin markers for surgical planning for intradural lesions of thoracic spine, 346
stereotactic radiosurgery for aggressive papillary tumor of, 124

T
Telemedicine and neurosciences in developing countries, 388
Temporal bone, stereotactic radiosurgery for aggressive papillary tumor of, 124
Thoracic spine
familial ossification of posterior longitudinal ligament in, 403
seizure-induced thoracic spine compression fracture, 214
skin markers for surgical planning for intradural lesions of, 346
Thromboelastography, for perioperative assessment of coagulability, 5
Tilting operating table with self-control foot switch, 344
Transsphenoidal surgery, primary empty sella syndrome: role of visual system herniation, 42
Trauma
acute subdural hematoma in infancy, 218
civilian infratentorial gunshot injuries, 225
traumatic middle meningeal artery pseudoaneurysm and subsequent fistula formation with cavernous sinus, 325

V
Vasculature
alternative management considerations for ethmoidal dural arteriovenous fistulas, 410
attenuation of hemolysate-induced cerebrovascular endothelial cell injury and of production of endothelin-1 and big endothelin-1 by an endothelin-converting enzyme inhibitor, 181
complete regression of intracranial arteriovenous malformations, 139
diameter-cube hypothesis: new biophysical model of aneurysm rupture, 166
dural arteriovenous fistula after craniotomy for pilocytic astrocytoma in patient with protein S deficiency, 59
endovascular treatment for cervical carotid artery stenosis presenting with progressing stroke, 148
endovascular treatment of kissing aneurysms at fenestrated basilar artery, 54
growth of small unruptured intracranial aneurysm, 155
indications for endovascular therapy for refractory vasospasm after aneurysmal subarachnoid hemorrhage, 131
interhemispheric intracranial pressure gradients in nonhuman primate stroke, 295
intracranial dural arteriovenous fistula showing diffuse MR enhancement of spinal cord, 251
intraoperative angiography, 316
intraoperative angiography for aneurysm surgery: what it really means, 351-ed
long-lasting improvement of arterial hypertension after surgical treatment of foramen magnum meningioma, 189
midbrain hemorrhage presenting with oculomotor nerve palsy, 417
perioperative assessment of coagulability using thromboelastography, 5
perioperative deep vein thrombosis in Chinese patients undergoing craniotomy, 274
pseudoaneurysms of superficial temporal artery secondary to placement of external ventricular drainage catheters, 258
selective intraoperative angiography in intracranial aneurysm surgery, 309
sensitivity of scalp EEG, cortical EEG, and somatosensory evoked responses during surgery for intracranial aneurysms, 317
subarachnoid hemorrhage as result of fungal aneurysm at posterior communicating artery associated with occlusion of internal carotid artery, 261
surgical management of unruptured aneurysms: prognostic indicators, 13
three dimensional digital subtraction angiography of ruptured aneurysm on anterior communicating artery, 49
traumatic middle meningeal artery pseudoaneurysm and subsequent fistula formation with cavernous sinus, 325
unruptured carotid-duplicated middle cerebral artery aneurysms, 322
why the International Study of Unruptured Intracranial Aneurysms has lost credibility with neuroscientists, 287-ed
Vertebral fracture, seizure-induced thoracic spine compression fracture, 214
Visual system herniation and primary empty sella syndrome, 42